Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Withdrawn) An isolated nucleic acid encoding the GEF-H1b polypeptide of SEQ ID NO:2.
- 2. (Withdrawn) An isolated nucleic acid comprising the sequence of SEQ ID NO:1.
- 3. (Withdrawn) An isolated GEF-H1b polypeptide comprising the sequence of SEQ ID NO:2.
 - 4. (Withdrawn) An isolated GEF-H1/PAK4 complex.
- 5. (Withdrawn) The isolated GEF-H1/PAK4 complex of claim 4, wherein said GEF-H1 is GEF-H1b.
- 6. (Withdrawn) The isolated GEF-H1/PAK4 complex of claim 5, wherein said GEF-H1b comprises the sequence of SEQ ID NO:2.
- 7. (Withdrawn) An isolated nucleic acid encoding the GEF-H1 peptide of SEQ ID NO:3.
- 8. (Withdrawn) A peptide consisting essentially of the sequence of SEQ ID NO. 3.
- 9. (Withdrawn) An isolated nucleic acid encoding the GEF-H1 peptide of SEQ ID NO:4.
- 10. (Withdrawn) A peptide consisting essentially of the sequence of SEQ ID NO.4.
- 11. (Withdrawn) The isolated GEF-H1b polypeptide of claim 3 lacking the amino acid residues between 162 and 354 of SEQ ID NO. 2.
- 12. (Withdrawn) The peptide of any one of claims 3, 8, or 10 that comprises at least one phosphorylated amino acid.

- 13. (Withdrawn) A method for detecting PAK4 activity in a sample, comprising detecting the presence or level of phosphorylated GEF-H1, wherein the detection of phosphorylated GEF-H1 indicates the presence of at least one active PAK4.
- 14. (Withdrawn) The method of claim 13, wherein said GEF-H1 comprises the sequence described in any one of SEQ ID NOs. 2, 3 or 4.
 - 15. (Withdrawn) The method of claim 13, wherein said PAK4 is in a cell.
 - 16. (Withdrawn) The method of claim 15, wherein said cell is a tumor cell.
- 17. (Withdrawn) The method of claim 16, wherein said tumor cell is in a mammal.
- 18. (Withdrawn) The method of claim 17, wherein said mammal is selected from the group consisting of a human, rat, mouse, dog, rabbit, pig, sheep, cow, horse, cat, primate, goat, or monkey.
- 19. (Withdrawn) A method of identifying a substance that modulates the interaction between PAK4 and GEF-H1 polypeptide comprising: (a) exposing GEF-H1 polypeptide to a candidate substance to form a mixture and then (b) introducing into said mixture a PAK4 enzyme; and (c) measuring the amount of GEF-H1 polypeptide phosphorylated before and after exposing said GEF-H1 polypeptide to said candidate substance, wherein a decrease or increase in the amount of phosphorylated GEF-H1 polypeptide after exposure to said candidate substance indicates that said candidate substance is a substance that modulates the interaction between PAK4 and GEF-H1 polypeptide.
- 20. (Withdrawn) The method of claim 18, wherein said GEF-H1 polypeptide has the sequence of any one of SEQ ID NO. 2, SEQ ID NO. 3 or SEQ ID NO. 4.
- 21. (Withdrawn) A GEF-H1-specific antibody directed against a peptide comprising the sequence described in SEQ ID NO. 3.
 - 22. (Canceled)
- 23. (Previously presented) An isolated GEF-H1-specific antibody directed against a peptide comprising the sequence described in SEQ ID NO. 3, wherein said peptide comprises a phosphorylated serine.

- 24. (Currently amended) The isolated GEF-H1-specific antibody of claim 23, wherein said serine is serine-810 of SEQ ID NO. 2, which is residue number 4 of SEQ ID NO. 3.
- 25. (Withdrawn) A GEF-H1-specific antibody directed against a peptide comprising the sequence described in SEQ ID NO. 4, wherein said peptide comprises a phosphorylated serine.
- 26. (Withdrawn) The GEF-H1-specific antibody of claim 25, wherein said serine is serine-67.
- 27. (Withdrawn) A method of identifying a substance that modulates the interaction between PAK4 and GEF-H1 polypeptide comprising: (a) exposing PAK4 to a candidate substance to form a mixture and then (b) introducing into said mixture a GEF-H1 polypeptide; and (c) measuring the amount of GEF-H1 polypeptide phosphorylated, wherein a decrease or increase in the amount of phosphorylated GEF-H1 polypeptide in comparison to a control in which PAK4 is not exposed to said candidate substance indicates that said candidate substance is a substance that modulates the interaction between PAK4 and GEF-H1 polypeptide.
- 28. (Withdrawn) The method of claim 27, wherein said GEF-H1 polypeptide has the sequence of any one of SEQ ID NO. 2, SEQ ID NO. 3 or SEQ ID NO. 4.
- 29. (Withdrawn) The method of claims 19 or 27, wherein the step of determining whether GEF-H1 is phosphorylated in step (c) is performed by using a GEF-H1-specific antibody directed against a peptide comprising at least one of phosphorylated serine-810 of SEQ ID NO. 2 or phosphorylated serine-67 of SEQ ID NO. 2 to detect phosphorylated GEF-H1b.
- 30. (Withdrawn) The method of claims 19 or 27, wherein said candidate substance causes a decrease in total GEF-H1 phosphorylation.
- 31. (Withdrawn) A method for identifying a substance that modulates the interaction between PAK4 and GEF-H1b comprising (i) contacting a candidate substance with a GEF-H1b-PAK4 complex and then (ii) determining whether said compound disrupts said complex.
- 32. (Withdrawn) A method for determining whether a candidate substance inhibits PAK4 kinase activity in a mammal, comprising (i) measuring in a mammal the level of phosphorylation of a GEF-H1 protein comprising the sequence of SEQ ID NO. 2;

- (ii) exposing said mammal to a candidate substance; and then (iii) measuring in the mammal the level of phosphorylation of said GEF-H1 protein, wherein a decrease in the level of phosphorylation of said GEF-H1 protein in step (iii) relative to the level measured in step (i) indicates that said candidate substance is an inhibitor of PAK4 kinase.
- 33. (Withdrawn) The method of claim 32, wherein said mammal is a human, rat, mouse, dog, rabbit, pig, sheep, cow, horse, cat, primate, goat, or monkey.
 - 34. (Withdrawn) The method of claim 32, wherein said mammal is a human.
- 35. (Withdrawn) A method for treating cancer in a mammal, comprising administering a substance identified by any one of claims 19, 27, 30 or 32, to said mammal.
- 36. (Withdrawn) A method for determining the presence of activated PAK4 in a cell sample comprising (i) obtaining a cellular lysate from a cell sample; (ii) isolating and/or separating proteins from the cell lysate preparation; and (iii) detecting the presence of GEF-H1b phosphovariants, wherein detecting that serine-810 or serine-67 is phosphorylated indicates that said cell sample comprises activated PAK4.
- 37. (Withdrawn) A method for screening for a drug that inhibits PAK4 kinase activity comprising (i) obtaining a cellular lysate from a cell sample, (ii) applying to said lysate a candidate drug; (iii) isolating and/or separating proteins from said cell lysate preparation; and (iv) detecting the presence of GEF-H1b phosphovariants, wherein detecting that serine-810 or serine-67 is phosphorylated indicates that said drug does not inhibit PAK4 kinase activity.
- 38. (Withdrawn) The method of either claim 36 or 37, wherein said cell sample is preferably a tumor cell sample.
- 39. (Withdrawn) A peptide comprising at least one of SEQ ID NO. 6 or SEQ ID NO. 20.
- 40. (Withdrawn) A peptide consisting essentially of at least one of SEQ ID NO. 6 or SEQ ID NO. 20.
- 41. (Withdrawn) A peptide of less than 20 amino acids comprising the sequence of SEQ ID NO. 6.
- 42. (Withdrawn) A peptide of less than 25 amino acids comprising the sequence of SEQ ID NO. 6.

- 43. (Withdrawn) A peptide of less than 30 amino acids comprising the sequence of SEQ ID NO. 6.
- 44. (Withdrawn) A peptide of less than 20 amino acids comprising the sequence of SEQ ID NO. 20.
- 45. (Withdrawn) A peptide of less than 25 amino acids comprising the sequence of SEQ ID NO. 20.
- 46. (Withdrawn) A peptide of less than 30 amino acids comprising the sequence of SEQ ID NO. 20.
- 47. (Withdrawn) A method for detecting cell proliferation, cell motility and/or cell invasion in a mammal comprising monitoring at timepoint A and at least one other timepoint, B, the phosphorylation level of GEF-H1 in a sample taken from said mammal, wherein an increase in the phosphorylation level of GEF-H1 in said sample between said timepoints, is indicative of cell proliferation, cell motility and/or cell invasion.
- 48. (Withdrawn) The method of claim 47, wherein said GEF-H1 is a GEF-H1b protein comprising the sequence of SEQ ID NO. 2.
- 49. (Withdrawn) The method of claim 47, wherein said sample is a sample of said mammal's skin, blood, or cells.
 - 50. (Withdrawn) The method of claim 49, wherein said cells are tumor cells.
- 51. (Withdrawn) The method of claim 47, wherein said mammal is selected from the group consisting of a human, rat, mouse, dog, rabbit, pig, sheep, cow, horse, cat, primate, goat, or monkey.
 - 52. (Withdrawn) A polynucleotide comprising the sequence of SEQ ID NO. 1.
- 53. (Withdrawn) A polynucleotide encoding the polypeptide described in any one of SEQ ID NOs. 2, 3 or 4.
 - 54. (Withdrawn) A vector comprising the polynucleotide of either claim 52 or 53.
 - 55. (Withdrawn) A cell comprising the vector of claim 54.
- 56. (Withdrawn) A method for treating cancer in an individual, comprising inhibiting GEF-H1 activity in said individual.

ċ

- 57. (Withdrawn) The method of claim 56, wherein said GEF-H1 is at least one of GEF-H1a, GEF-H1b or GEF-H1c.
- 58. (Withdrawn) The method of claim 57, wherein said GEF-H1b comprises the amino acid sequence described in SEQ ID NO. 2.
- 59. (Withdrawn) The method of claim 56, wherein said step of inhibiting GEF-H1 activity comprises inhibiting expression of an endogenous gene encoding said GEF-H1.
- 60. (Withdrawn) The method of claim 56, wherein GEF-H1 activity is inhibited in or near a population of cancerous cells present in said individual.
- 61. (Withdrawn) A method for reducing cell proliferation and anchorage-independent cell growth in a cell sample, comprising inhibiting GEF-H1 activity in said cell sample.
- 62. (Withdrawn) The method of claim 61, wherein said GEF-H1 is at least one of GEF-H1a, GEF-H1b or GEF-H1c.
- 63. (Withdrawn) The method of claim 61, wherein said GEF-H1b comprises the amino acid sequence described in SEQ ID NO. 2.
- 64. (Withdrawn) An isolated polynucleotide encoding a polypeptide comprising the amino acid sequence of SEQ ID NO. 21, wherein said polypeptide is capable of binding to a guanine-nucleotide exchange factor, and whereupon binding of said polypeptide to said guanine-nucleotide exchange factor prevents or reduces guanine-nucleotide exchange factor phosphorylation by PAK4.
- 65. (Withdrawn) The isolated polynucleotide of claim 64, wherein said polypeptide binds to amino acids 763-921 of GEF-H1S.
- 66. (Withdrawn) An isolated polynucleotide encoding a polypeptide consisting essentially of the amino acid sequence of SEQ ID NO. 21.
- 67. (Withdrawn) An isolated polynucleotide encoding a polypeptide consisting of the amino acid sequence of SEQ ID NO. 21.
- 68. (Withdrawn) An isolated polynucleotide encoding a polypeptide that has at least 70% sequence identity to the amino acid sequence of SEQ ID NO. 21, and wherein said polypeptide is capable of binding to a guanine nucleotide-exchange factor.

- 69. (Withdrawn) An isolated polynucleotide encoding a polypeptide comprising the amino acid sequence of SEQ ID NO. 22.
- 70. (Withdrawn) An isolated polynucleotide encoding a polypeptide consisting essentially of the amino acid sequence of SEQ ID NO. 22.
- 71. (Withdrawn) An isolated polynucleotide encoding a polypeptide consisting of the amino acid sequence of SEQ ID NO. 22.
- 72. (Withdrawn) An isolated polynucleotide encoding a polypeptide that has at least 90% sequence identity to the amino acid sequence of SEQ ID NO. 22, and wherein said polypeptide is capable of binding to a guanine nucleotide-exchange factor.
- 73. (Withdrawn) A polypeptide consisting essentially of the amino acid sequence of SEQ ID NO. 21.
- 74. (Withdrawn) The polypeptide of claim 73, wherein said polypeptide comprises a label.
- 75. (Withdrawn) The polypeptide of claim 74, wherein said label is selected from the group consisting of a biotin, a HIS-tag, and a radiolabel.
- 76. (Withdrawn) A polypeptide consisting essentially of the amino acid sequence of SEQ ID NO. 22.
- 77. (Withdrawn) The polypeptide of claim 76, wherein said polypeptide comprises a label.
- 78. (Withdrawn) The polypeptide of claim 77, wherein said label is selected from the group consisting of a biotin, a HIS-tag, and a radiolabel.
- 79. (Withdrawn) A polypeptide consisting essentially of an amino acid sequence that has at least 70% sequence identity with SEQ ID NO. 21, wherein said polypeptide is capable of binding to a guanine nucleotide-exchange factor.
- 80. (Withdrawn) A polypeptide consisting essentially of an amino acid sequence that has at least 76% sequence identity with SEQ ID NO. 21, wherein said polypeptide is capable of binding to a guanine nucleotide-exchange factor.
- 81. (Withdrawn) A recombinant polypeptide comprising an amino acid sequence that has at least 70% sequence identity with the amino acid sequence denoted by residues

276-324 of p21-activated-kinase 4, and at least one other polypeptide sequence, wherein said recombinant polypeptide does not comprise the amino acid sequence denoted by residues 1-276 of p21-activated-kinase 4, nor the amino acid sequence denoted by residues 324-985 of p21-activated-kinase 4.

- 82. (Withdrawn) The polypeptide of claim 80, wherein said polypeptide comprises a label.
- 83. (Withdrawn) The polypeptide of claim 82, wherein said label is selected from the group consisting of a biotin, a HIS-tag, and a radiolabel.
- 84. (Withdrawn) The polypeptide of claim 81, wherein said polypeptide comprises a label.
- 85. (Withdrawn) The polypeptide of claim 84, wherein said label is selected from the group consisting of a biotin, a HIS-tag, and a radiolabel.
- 86. (Withdrawn) A polypeptide consisting essentially of an amino acid sequence that has at least 90% sequence identity with SEQ ID NO. 22, wherein said polypeptide is capable of binding to a guanine nucleotide-exchange factor.
- 87. (Withdrawn) A recombinant polypeptide comprising an amino acid sequence that has at least 70% sequence identity with the amino acid sequence denoted by residues 298-324 of p21-activated-kinase 4, and at least one other polypeptide sequence, wherein said recombinant polypeptide does not comprise the amino acid sequence denoted by residues 1-276 of p21-activated-kinase 4, nor the amino acid sequence denoted by residues 324-985 of p21-activated-kinase 4.
- 88. (Withdrawn) A polypeptide comprising an amino acid sequence that has at least 70% sequence identity with the amino acid sequence denoted by residues 276-324 of p21-activated-kinase 4, wherein said polypeptide does not comprise the amino acid sequence denoted by residues 1-276 of p21-activated-kinase 4, and does not comprise the amino acid sequence denoted by residues 324-985 of p21-activated-kinase 4.
- 89. (Withdrawn) A polypeptide comprising an amino acid sequence that has at least 90% sequence identity with the amino acid sequence denoted by residues 298-324 of p21-activated-kinase 4, wherein said polypeptide does not comprise the amino acid sequence denoted by residues 1-276 of p21-activated-kinase 4, and does not comprise the amino acid sequence denoted by residues 324-985 of p21-activated-kinase 4.

- 90. (Withdrawn) A method for detecting the presence of a guanine nucleotide-exchange factor in a biological sample, comprising:
- (i) incubating a biological sample with a p21-activated-kinase-derived polypeptide, and
- (ii) determining if any of said p21-activated-kinase-derived polypeptide is bound to a guanine nucleotide-exchange factor,

wherein (a) said p21-activated-kinase-derived polypeptide comprises an amino acid sequence that has at least 90% sequence identity with the amino acid sequence denoted by residues 298-324 of p21-activated-kinase 4,

- (b) said p21-activated-kinase-derived polypeptide does not comprise the amino acid sequence denoted by residues 1-276 of p21-activated-kinase 4, and
- (c) said p21-activated-kinase-derived polypeptide does not comprise the amino acid sequence denoted by residues 324-985 of p21-activated-kinase 4.
- 91. (Withdrawn) The polypeptide of claim 90, wherein said p21-activated-kinase-derived polypeptide comprises a label.
- 92. (Withdrawn) The polypeptide of claim 91, wherein said label is selected from the group consisting of a biotin, a HIS-tag, and a radiolabel.
- 93. (Withdrawn) The method of claim 92, wherein the step of determining if any of said p21-activated-kinase-derived polypeptide is bound to a guanine nucleotide-exchange factor, comprises removing unbound, radiolabeled p21-activated-kinase-derived polypeptide from said biological sample, and then measuring the level of radioactivity in said sample.
- 94. (Withdrawn) A pharmaceutical composition comprising a polypeptide that consists essentially of the amino acid sequence of SEQ ID NO. 21.
- 95. (Withdrawn) A method of inhibiting PAK4-mediated phosphorylation of a guanine-nucleotide exchange factor comprising exposing a guanine-nucleotide exchange factor to a polypeptide consisting essentially of the amino acid sequence of SEQ ID NO. 21, wherein said polypeptide binds to said guanine-nucleotide exchange factor, thereupon inhibiting PAK4 phosphorylation of said guanine-nucleotide exchange factor.
- 96. (Withdrawn) The method of claim 95, wherein said guanine-nucleotide exchange factor is in a biological sample.

- 97. (Withdrawn) The method of claim 96, wherein said biological sample is obtained from a mammal.
- 98. (Withdrawn) The method of claim 97, wherein said mammal is a human, mouse, rat, pig, cow, dog, cat, horse, or monkey.
 - 99. (Withdrawn) The method of claim 98, wherein said mammal is a human.
- 100. (Withdrawn) The method of claim 95, wherein the step of exposing said guanine-nucleotide exchange factor to said polypeptide comprises administering to a mammal a pharmaceutical composition that comprises said polypeptide.
- 101. (Withdrawn) The method of claim 100, wherein said pharmaceutical composition comprising said polypeptide is any one of a tablet, aerosol, powder, liquid, gel, cream, suppository.
- 102. (Withdrawn) A method for identifying a molecule, which disrupts an interaction between PAK4 and a guanine-nucleotide exchange factor, comprising: (a) exposing a guanine-nucleotide exchange factor to a polypeptide consisting essentially of the amino acid sequence of SEQ ID NO. 21, wherein said polypeptide binds to said guanine-nucleotide exchange factor to form a complex; (b) adding one or more test molecules to said complex; and (c) determining whether said polypeptide and said guanine-nucleotide exchange factor are dissociated from one another after said test molecule(s) is added to said complex.
- 103. (Withdrawn) A method of inhibiting PAK4 phosphorylation of a GEF-H1 isoform, comprising introducing into a cell a vector that comprises a polynucleotide, which encodes the polypeptide of SEQ ID NO. 21, wherein said polynucleotide is expressed to produce said polypeptide, and wherein said polypeptide binds to a GEF-H1 isoform in said cell, thereby inhibiting PAK4 phosphorylation.